

GammaLib - Bug #1133

Deadtime correction has been applied twice for Npred computation of non-point source models in CTA response

02/05/2014 11:57 PM - Knödlseider Jürgen

Status:	Closed	Start date:	02/05/2014
Priority:	Immediate	Due date:	
Assigned To:	Knödlseider Jürgen	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	00-08-01		
Description <p>It turned out that in the Npred computation for radial, elliptical and diffuse models, the deadtime correction was applied twice for the CTA response. First it is applied in GCTAResponse::npred, which computes Npred for a point source. The Npred computation for the non-point sources all call GCTAResponse::npred, hence by calling this method the deadtime correction is applied.</p> <p>However, GCTAResponse::npred_radial, GCTAResponse::npred_elliptical and GCTAResponse::npred_diffuse all applied the deadtime correction on their own, leading to a double application of the deadtime correction. This reduces Npred by the deadtime correction (typically 5%), resulting in a too large flux.</p> <p>It is not clear whether there is any link to issue #1131 (as this concerns the binned response computation for which Npred is not used).</p>			
Related issues:			
Related to ctools - Bug # 1131: Results of ctmodel and ctobssim are not consi...			Rejected 02/04/2014

History

#1 - 02/06/2014 12:09 AM - Knödlseider Jürgen

- Description updated

#2 - 02/06/2014 12:09 AM - Knödlseider Jürgen

- Status changed from New to In Progress
- % Done changed from 0 to 50

Still want to do a pull distribution to validate that now everything is okay.

#3 - 02/06/2014 11:16 PM - Knödlseider Jürgen

- Status changed from In Progress to Feedback
- % Done changed from 50 to 100

Pull distributions are now okay (will be posted once completed).

#4 - 02/17/2014 10:11 PM - Knödlseider Jürgen

- Status changed from Feedback to Closed