# GammaLib - Action #1250

# Create GCTAMeanPsf class

07/08/2014 03:37 PM - Knödlseder Jürgen

Status:	Closed	Start date:	07/08/2014
Priority:	Normal	Due date:	
Assigned To:	Lu Chia-Chun	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	3rd coding sprint		

## Description

The GCTAMeanPsf class should implement the mean PSF in form of a histogram as function of Right Ascension or Galactic longitude, Declination or Galactic latitude and log10 energy (4D cube). The class may use the GSkymap class as storage container for the information. Log10 energy and offset angle can be implemented as nested array of the 3rd GSkymap dimension.

The mean PSF is an exposure weighted average of the PSF. The typical interface should look like this:

// Constructors and destructors GCTAMeanPsf(void); GCTAMeanPsf(const GCTAMeanPsf& psf); GCTAMeanPsf(const GObservations& obs, const GSkymap& map, const double& min, const double& max, const int& nbins); virtual ~GCTAMeanPsf(void);

// Operators GCTAMeanPsf& operator=(const GCTAMeanPsf& psf);

// Methods
void clear(void);
GCTAMeanPsf\* clone(void) const;
void load(const std::string& filename);
void save(const std::string& filename);
std::string print(const GChatter& chatter = NORMAL) const;

protected:

// Methods
void init\_members(void);
void copy\_members(const GCTAMeanPsf& psf);
void free\_members(void);

// Data GSkymap m\_cube; //!< Average PSF cube

The number of maps in a GSkymap object is nebin\*nbins, idelta + ie \* nbins can then be the access formula.

### History

#### #1 - 07/08/2014 03:37 PM - Knödlseder Jürgen

- Assigned To set to Lu Chia-Chun

- Target version set to 3rd coding sprint

#### #2 - 07/09/2014 05:50 PM - Lu Chia-Chun

- % Done changed from 0 to 50

GCTAMeanPsf class is built and tested.

The 68% containment radius looks reasonable and the comparison of 68% containment with rsp.psf() shows the same result.

#### #3 - 07/10/2014 02:20 PM - Knödlseder Jürgen

- Status changed from New to In Progress

- % Done changed from 50 to 60

I merged the actual version of your GCTAMeanPsf class into trunk after adapting the class interface and making the code compliant with the coding conventions. PSF is now computed as response times exposure, divided by average exposure.

A set() method exists to set a PSF cube from a single GCTAObservation, a fill() method exists to fill the PSF cube from all CTA observations in an observation container. Writing and saving of the PSF cube works, reading and loading is not yet supported.

I also added unit tests to test\_CTA.

Still to be done:

- implement read() and load() methods
- implement PSF cube access operator(s)

#### #4 - 07/11/2014 12:36 PM - Lu Chia-Chun

- Status changed from In Progress to Pull request
- % Done changed from 60 to 70

access operator and interpolation implemented.

To do: read() load()

#### #5 - 07/11/2014 02:16 PM - Knödlseder Jürgen

- Status changed from Pull request to Resolved
- % Done changed from 70 to 100

Added load() and read() methods and merged into trunk.

### #6 - 07/20/2014 11:21 PM - Knödlseder Jürgen

- Status changed from Resolved to Closed
- Remaining (hours) set to 0.0