

## ctools - Bug #1456

### cshessobs: self.datapath set to "" after initialisation

04/18/2015 07:27 PM - Mayer Michael

<b>Status:</b>	Closed	<b>Start date:</b>	04/18/2015
<b>Priority:</b>	Urgent	<b>Due date:</b>	
<b>Assigned To:</b>	Mayer Michael	<b>% Done:</b>	100%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	1.0.0		
<b>Description</b>			
While integrating cshessobs, a small error has slipped in: In the constructor right after the try-catch-statement concerning the environment variable HESSFITS, the protected member self.datapath is set to "" again. Therefore, the script cannot find the data. I propose to remove the line self.datapath="" (line 56)			

### History

#### #1 - 05/19/2015 07:56 PM - Knödseder Jürgen

Agree. Do you implement the change?

#### #2 - 05/20/2015 11:08 AM - Mayer Michael

- Status changed from New to Pull request

- Assigned To set to Mayer Michael

- Target version set to 1.0.0

- % Done changed from 0 to 100

Available on *1456-fix-cshessobs-datapath*

I fixed one minor issue as well for this commit. Thanks for merging.

#### #3 - 05/20/2015 11:26 AM - Knödseder Jürgen

- Status changed from Pull request to Closed

Merged into devel