

GammaLib - Change request #1808

The data file specified in an XML file should be relative to the XML file, not the executable

06/24/2016 12:01 AM - Knödseder Jürgen

Status:	Closed	Start date:	06/23/2016
Priority:	Normal	Due date:	
Assigned To:	Knödseder Jürgen	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	1.1.0		
Description			
If a relative file name is given in a XML file it should be specified relative to the location of the XML file, not the executable. If an absolute path name is specified, the absolute path name should be taken.			

History

#1 - 06/24/2016 12:02 AM - Knödseder Jürgen

- *Assigned To set to Knödseder Jürgen*
- *Target version set to 1.1.0*

#2 - 06/24/2016 03:05 PM - Knödseder Jürgen

- *Status changed from New to In Progress*
- *% Done changed from 0 to 90*

The following was implemented:

If a file that is reference in an XML file has no path it will be assumed that the file is located in the same directory as the XML file. In reading the XML file, the path of the XML file will be prepended to the file, and before writing it will be stripped again.

The logic for this has been implemented in the `gammalib::xml_file_expand()` and `gammalib::xml_file_reduce()` functions that will be called from the relevant XML methods.

The XML classes had also be reorganised to correctly pass the parent pointers to the children (this is now done in `GXmlNode` instead of `GXmlElement`. It is therefore possible to deduce the name of an XML file from each of its nodes (the `GXmlNode::filename()` method has been implemented for that).

#3 - 06/24/2016 04:04 PM - Knödseder Jürgen

- *Status changed from In Progress to Closed*
- *% Done changed from 90 to 100*

Merged into devel