GammaLib - Bug #1884

GModelSpatialComposite not working in binned mode

11/24/2016 05:11 PM - Ziegler Alexander

Status:	Closed	Start date:	11/24/2016
Priority:	Normal	Due date:	
Assigned To:	Tiziani Domenico	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	1.2.0		
Description			
Also, same problem In both cases, error Segmentation fault Nothing more. For unbinned analys I don't know the deta Maybe there was so The error should be	when trying to run ctmodel in binr output is only: is, it is working! iils, but there was also something mething forgotten for the binned a easily produceable for everyone,	ned mode. changed for the IRFs for the imple analysis mode? I just took the model from the test-	ementation of the composite models. suite and tried to run an binned analysis.

History

#1 - 11/24/2016 05:16 PM - Mayer Michael

Could you post a short script or command sequence to reproduce this error, too?

#2 - 11/24/2016 05:27 PM - Ziegler Alexander

The way I did it: Take 4 test-runs (I took the four crab runs we always use for testing), command sequence: csiactobs ctselect run unbinned analysis, works ctbin ctexpcube, ctpsfcube, ctbkgcube run binned analysis: not working, seg-fault. Also trying to run ctmodel with the cubes as input is not working, also seg-fault. This should really be easy to reproduce. If you need more infos/cannot reproduce the problem I can give you more input (we need to continu

This should really be easy to reproduce. If you need more infos/cannot reproduce the problem I can give you more input (we need to continue this tomorrow, for today I'm out of time, sorry)...

#3 - 11/25/2016 07:34 AM - Ziegler Alexander

- File pipeline_unbinned_mem.py added

- File pipeline_stacked_mem.py added

Example scripts that show the problem:

I just copied the pipeline example scripts from the ctools example folder and exchanged the standard model (crab.xml) with the spatial composite model.

Same result: unbinned analysis works, stacked analysis crashes with seg-fault, not more error output.

Scripts can be found attached:

attachment:pipeline_unbinned_mem.py

attachment:pipeline_stacked_mem.py

#4 - 11/25/2016 01:17 PM - Tiziani Domenico

Alexander and me located the bug. Its the src source typo in the GCTAResponseCube class. I will post a pull request in a few minutes.

#5 - 11/25/2016 01:39 PM - Tiziani Domenico

- Status changed from New to Pull request
- % Done changed from 0 to 90

The fix is implemented in the branch 1884-bug-fix in my gammalib repo.

We think about making the scale attribute an actual parameter of the model. This way, it could be fitted, too. At the moment it is an attribute of the model, and can not be fitted.

Michael, do you see a problem here?

Just changing the array type to GModelPar of the scale array, and adding it to the m_pars array should do the job, and make the model much more flexibel.

Like this, the relative amplitudes of the model components is also fitted (Which should be the case).

#6 - 11/25/2016 02:16 PM - Mayer Michael

Thanks for finding the bug:)

I see your point of making the scale parameter a parameter for the fit. However, I guess when fitting the spectrum of the source at the same time, you would have a strong degeneracy with the source flux, right? This could then very much complicate the fit procedure. Maybe I am mistaken and this isn't an issue?

#7 - 11/25/2016 02:31 PM - Ziegler Alexander

I'm not sure about that - the spatial model = spatial probability density function is normalized by the scale values. So there should not be a degeneracy to the total flux, it is just a question how the individual components contribute to the source flux, no? So if a specific flux value is required, the question is just how to distribute this value among the different components appropriately. And the fit will only give a reasonable results if you allow a different contribution to the total flux from the individual components, otherwise this is a strong constraint, no? - I think one can only get a rough guess on this parameter when being used as input, not fitted.

#8 - 11/25/2016 02:31 PM - Knödlseder Jürgen

- Status changed from Pull request to Closed
- Target version set to 1.2.0
- % Done changed from 90 to 100

user#195 wrote:

The fix is implemented in the branch 1884-bug-fix in my gammalib repo.

Merged into devel.

Files			
pipeline_unbinned_mem.py	3.63 KB	11/25/2016	Ziegler Alexander
pipeline_stacked_mem.py	5.74 KB	11/25/2016	Ziegler Alexander