

GammaLib - Bug #2776

event time bug from gammalib 1.4.0 to 1.5.2

12/14/2018 09:11 PM - Kelley-Hoskins Nathan

<b>Status:</b>	Closed	<b>Start date:</b>	12/14/2018
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assigned To:</b>	Knödlseeder Jürgen	<b>% Done:</b>	0%
<b>Category:</b>		<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Description</b> Event times (GCTAEventAtom::time()) are bugged in gammalib 1.5.2. They were correct in 1.4.0 .  The code to reproduce this is:  from gammalib import GObservations, GCTAObservation  obs = GObservations() ob = GCTAObservation() ob.load('VR50990.fits') ob.id('VR50990') obs.append(ob)  for ob in obs : for ev in ob.events() : print(ev.time().utc())  On gammalib 1.4.0, when I read in the Veritas datafile VR50990.fits, it prints:  2010-04-14T10:14:47 2010-04-14T10:14:48 2010-04-14T10:14:48 2010-04-14T10:14:50 2010-04-14T10:15:00 2010-04-14T10:15:01 2010-04-14T10:15:04  which are the correct times for those events.  When I take the same file, and run that script on gammalib 1.5.2, the same events are at times:  2003-12-15T22:14:49 2003-12-15T22:14:50 2003-12-15T22:14:50 2003-12-15T22:14:52 2003-12-15T22:15:02 2003-12-15T22:15:03 2003-12-15T22:15:06  which are a few years before VERITAS was built :p .			
<b>Related issues:</b> Related to ctools - Change request # 2054: MJD reference date in the output f... <div>Closed04/28/2017</div>			

**History**

#1 - 12/21/2018 11:58 AM - Knödlseeder Jürgen

Does the FITS file contain the reference time key words?

## #2 - 12/28/2018 01:30 AM - Kelley-Hoskins Nathan

- File *VR81417.chunk3.clean.fits* added

The EVENTS table has the time-related header keywords:

```
MJDREFI 53856
MJDREFF 0.0
TIMEUNIT s
TIMESYS TT
TIMEREF local
```

And events have columns like:

```
OBS_ID EVENT_ID TIME
81417 247243 313216622.2168968
81417 247649 313216623.7063196
81417 248645 313216627.4837822
81417 248931 313216628.5783541
81417 249323 313216630.0244226
```

I've added the fits file these came from, which should have events on 2016-04-03, from 4:21-4:51 am UTC.

## #3 - 01/09/2019 03:46 PM - Knödseder Jürgen

- Status changed from New to Feedback

- Assigned To set to Knödseder Jürgen

Running your example file using the current code I get:

```
>>> import gammalib
>>> obs=gammalib.GCTAObservation('VR81417.chunk3.clean.fits')
>>> print(obs)
=== GCTAObservation ===
Name .....:
Identifier .....: 81417
Instrument .....: VERITAS
Event file .....: VR81417.chunk3.clean.fits
Event type .....: EventList
Statistic .....: cstat
Ontime .....: 480 s
Livetime .....: 439.374101047894 s
```

```

Deadtime correction .....: 0.915362710516446
User energy range .....: undefined
=== GCTAPointing ===
Pointing direction .....: (RA,Dec)=(83.6342417597327,21.5144715979806)
Response function .....: undefined
=== GCTAEventList ===
Number of events .....: 262 (disposed in "VR81417.chunk3.clean.fits")
Time interval .....: 57481.1812731481 - 57481.2021180556 days
Energy interval .....: 0.02 - 500 TeV
Region of interest .....: RA=83.634242, DEC=21.514472 [0,0] Radius=2.25 deg
=== GSKyRegions ===
Number of regions .....: 0
>>> print(obs.gti())
=== GGti ===
Number of intervals .....: 1
Ontime .....: 1801.00000101328 sec
Elapsed time .....: 1801.00000101328 sec
MJD range .....: 57481.1812731481 - 57481.2021180556 s (TT)
UTC range .....: 2016-04-03T04:19:54 - 2016-04-03T04:49:55 s (TT)
Reference MJD .....: 53856
>>> for ev in obs.events():
...     print(ev.time().utc())
...
2016-04-03T04:35:54
2016-04-03T04:35:56
2016-04-03T04:35:59
2016-04-03T04:36:00
2016-04-03T04:36:02
2016-04-03T04:36:03
2016-04-03T04:36:03
2016-04-03T04:36:03
2016-04-03T04:36:05
2016-04-03T04:36:05

```

Everything seems okay here. I get exactly the same result with ctools/gammalib version 1.5.2.

**#4 - 01/09/2019 03:56 PM - Knödlseider Jürgen**

Interesting: when running the code as you did I get the following with gammalib 1.5.2:

```

>>> from gammalib import GObservations, GCTAObservation
>>> obs = GObservations()
>>> ob = GCTAObservation()
>>> ob.load('VR81417.chunk3.clean.fits')
>>> ob.id('VR50990')
>>> obs.append(ob)
<gammalib.cta.GCTAObservation; proxy of <Swig Object of type 'GCTAObservation *' at 0x10b925840> >
>>> for ob in obs :
...     for ev in ob.events() :
...         print(ev.time().utc())
...
2009-12-04T16:35:56
2009-12-04T16:35:58
2009-12-04T16:36:01
2009-12-04T16:36:02
2009-12-04T16:36:04

```

Appending a CTA observation to the container seems to change the time reference (after appending it is 51544.5 while before it was 53856):

```

>>> print(obs[0].gti())
=== GGti ===
Number of intervals .....: 1
Ontime .....: 1801.00000101328 sec
Elapsed time .....: 1801.00000101328 sec
MJD range .....: 57481.1812731481 - 57481.2021180556 s (TT)
UTC range .....: 2016-04-03T04:19:54 - 2016-04-03T04:49:55 s (TT)
Reference MJD .....: 51544.5

```

This is however fixed in the devel version of the code which gives

```

>>> from gammalib import GObservations, GCTAObservation
>>> obs = GObservations()
>>> ob = GCTAObservation()
>>> ob.load('VR81417.chunk3.clean.fits')
>>> ob.id('VR50990')
>>> obs.append(ob)
<gammalib.cta.GCTAObservation; proxy of <Swig Object of type 'GCTAObservation *' at 0x10b925840> >
>>> for ob in obs :
...     for ev in ob.events() :
...         print(ev.time().utc())
...
2016-04-03T04:35:54
2016-04-03T04:35:56
2016-04-03T04:35:59
2016-04-03T04:36:00
2016-04-03T04:36:02
2016-04-03T04:36:03
2016-04-03T04:36:03
2016-04-03T04:36:05
2016-04-03T04:36:05
>>> print(obs[0].gti())
=== GGti ===
Number of intervals .....: 1
Ontime .....: 1801.00000101328 sec
Elapsed time .....: 1801.00000101328 sec
MJD range .....: 57481.1812731481 - 57481.2021180556 s (TT)
UTC range .....: 2016-04-03T04:19:54 - 2016-04-03T04:49:55 s (TT)
Reference MJD .....: 53856

```

I guess this relates to #2054. Can you check with the devel version of the code?

## #5 - 01/09/2019 03:57 PM - Knödseder Jürgen

- Related to Change request #2054: MJD reference date in the output file of the ctbin task added

## #6 - 01/10/2019 07:08 PM - Kelley-Hoskins Nathan

I'm trying to build it, but getting some python-related error:

```
$ ./configure --prefix=$PWD LDFLAGS=-L/gpfs/pace2/project/pc1/nkelleyh3/software/cfitsio/lib
CPPFLAGS=-I/gpfs/pace2/project/pc1/nkelleyh3/software/cfitsio/include/ --without-mwl --without-lat --without-com
$ make -j 4

...

/nv/hp11/nkelleyh3/data/software/miniconda3/bin/python setup.py build_ext
Python extension module building:
Link cfitsio into Python module.
Link readline into Python module.
Include CTA instrument interface in gammalib Python module.
running build_ext
building '_app' extension
creating build
creating build/temp.linux-x86_64-3.6
creating build/temp.linux-x86_64-3.6/gammalib
gcc -Wsign-compare -DNDEBUG -g -fwrapv -O3 -Wall -Wstrict-prototypes -fPIC -I../include -I/gpfs/pace2/project/pc1/nkelleyh3/software/cfitsio/include/ -I../inst/cta/include -I/nv/hp11/nkelleyh3/data/software/miniconda3/include/python3.6m -c gammalib/app_wrap.cpp -o build/temp.linux-x86_64-3.6/gammalib/app_wrap.o -fopenmp
cc1plus: warning: command line option '-Wstrict-prototypes' is valid for C/ObjC but not for C++
gammalib/app_wrap.cpp: In function 'swig_module_info* SWIG_Python_GetModule()':
gammalib/app_wrap.cpp:2452:51: error: 'PyObject_Import' was not declared in this scope
    (char*)"type_pointer" SWIG_TYPE_TABLE_NAME);
                                ^
gammalib/app_wrap.cpp: In function 'void SWIG_Python_SetModule(swig_module_info*)':
gammalib/app_wrap.cpp:2521:92: error: 'PyObject_FromVoidPtr' was not declared in this scope
    PyObject *pointer = PyObject_FromVoidPtr((void *) swig_module, SWIG_Python_DestroyModule);
                                                                ^
gammalib/app_wrap.cpp:2512:22: warning: unused variable 'swig_empty_runtime_method_table' [-Wunused-variable]
    static PyMethodDef swig_empty_runtime_method_table[] = { {NULL, NULL, 0, NULL} }; /* Sentinel */
                        ^
gammalib/app_wrap.cpp: In function 'swig_type_info* SWIG_Python_TypeQuery(const char*)':
gammalib/app_wrap.cpp:2544:60: error: 'PyObject_AsVoidPtr' was not declared in this scope
    descriptor = (swig_type_info *) PyObject_AsVoidPtr(obj);
                                                ^
gammalib/app_wrap.cpp:2549:51: error: 'PyObject_FromVoidPtr' was not declared in this scope
    obj = PyObject_FromVoidPtr(descriptor, NULL);
                                ^
gammalib/app_wrap.cpp: In function 'PyObject* _wrap_new_GLog__SWIG_1(PyObject*, PyObject*)':
gammalib/app_wrap.cpp:7460:28: error: 'PyString_Check' was not declared in this scope
    if (PyString_Check(obj0)) {
                        ^
...

gammalib/app_wrap.cpp:12075:106: error: 'PyString_AsString' was not declared in this scope
    temp2 = GFilename(std::string(PyString_AsString(PyUnicode_AsEncodedString(obj1, "utf-8", "Error ~"))));
                                                                ^
gammalib/app_wrap.cpp: In function 'PyObject* _wrap_GApplicationPars_load__SWIG_1(PyObject*, PyObject*)':
gammalib/app_wrap.cpp:12142:28: error: 'PyString_Check' was not declared in this scope
    if (PyString_Check(obj1)) {
                        ^
gammalib/app_wrap.cpp:12143:59: error: 'PyString_AsString' was not declared in this scope
    temp2 = GFilename(std::string(PyString_AsString(obj1)));
                                                ^
gammalib/app_wrap.cpp:12147:106: error: 'PyString_AsString' was not declared in this scope
    temp2 = GFilename(std::string(PyString_AsString(PyUnicode_AsEncodedString(obj1, "utf-8", "Error ~"))));
                                                                ^
gammalib/app_wrap.cpp: In function 'PyObject* _wrap_GApplicationPars_load(PyObject*, PyObject*)':
gammalib/app_wrap.cpp:12218:35: error: 'PyString_Check' was not declared in this scope
    if (PyString_Check(argv[1]) ||
                        ^
gammalib/app_wrap.cpp:12242:35: error: 'PyString_Check' was not declared in this scope
    if (PyString_Check(argv[1]) ||
                        ^
gammalib/app_wrap.cpp: In function 'PyObject* _wrap_GApplicationPars_save(PyObject*, PyObject*)':
gammalib/app_wrap.cpp:12290:28: error: 'PyString_Check' was not declared in this scope
```

```

    if (PyString_Check(obj1)) {
        ^
gammalib/app_wrap.cpp:12291:59: error: 'PyString_AsString' was not declared in this scope
    temp2 = GFilename(std::string(PyString_AsString(obj1)));
        ^
gammalib/app_wrap.cpp:12295:106: error: 'PyString_AsString' was not declared in this scope
    temp2 = GFilename(std::string(PyString_AsString(PyUnicode_AsEncodedString(obj1, "utf-8", "Error ~"))));
        ^
gammalib/app_wrap.cpp: In function 'PyObject* _wrap_GApplicationPar_filename__SWIG_0(PyObject*, PyObject*)':
gammalib/app_wrap.cpp:13579:28: error: 'PyString_Check' was not declared in this scope
    if (PyString_Check(obj1)) {
        ^
gammalib/app_wrap.cpp:13580:59: error: 'PyString_AsString' was not declared in this scope
    temp2 = GFilename(std::string(PyString_AsString(obj1)));
        ^
gammalib/app_wrap.cpp:13584:106: error: 'PyString_AsString' was not declared in this scope
    temp2 = GFilename(std::string(PyString_AsString(PyUnicode_AsEncodedString(obj1, "utf-8", "Error ~"))));
        ^
gammalib/app_wrap.cpp: In function 'PyObject* _wrap_GApplicationPar_filename(PyObject*, PyObject*)':
gammalib/app_wrap.cpp:14277:35: error: 'PyString_Check' was not declared in this scope
    if (PyString_Check(argv[1]) ||
        ^
error: command 'gcc' failed with exit status 1
make[3]: *** [build] Error 1
make[3]: Leaving directory `/gpfs/pace2/project/pc1/nkelleyh3/software/gammalib-timebug/pyext'
make[2]: *** [all] Error 2
make[2]: Leaving directory `/gpfs/pace2/project/pc1/nkelleyh3/software/gammalib-timebug/pyext'
make[1]: *** [all-recursive] Error 1
make[1]: Leaving directory `/gpfs/pace2/project/pc1/nkelleyh3/software/gammalib-timebug'
make: *** [all] Error 2

```

My system:

```

$ uname -a
Linux iw-h31-20.pace.gatech.edu 2.6.32-573.12.1.el6.x86_64 #1 SMP Mon Nov 23 12:55:32 EST 2015 x86_64 x86_64 x86_64 GNU/Linux

```

My python is through anaconda:

```

$ python --version
Python 3.6.7 :: Anaconda, Inc.

```

**#7 - 01/10/2019 10:27 PM - Knödseder Jürgen**

Compiling against Anaconda Python is not a good idea. It may or may not work. Just use the Vanilla Python on your machine.

**#8 - 01/11/2019 03:55 PM - Kelley-Hoskins Nathan**

Ok, I rebuilt it with regular python, and printed out the event times using devel, they come out correct now.

**#9 - 03/06/2019 12:45 PM - Knödseder Jürgen**

- Status changed from Feedback to Closed

**Files**

---

VR81417.chunk3.clean.fits	39.4 KB	12/28/2018	Kelley-Hoskins Nathan
---------------------------	---------	------------	-----------------------