# GammaLib - Bug #3553

# Read and writing a FITS table with scaled integer values modifies the integer values

02/25/2021 09:05 AM - Knödlseder Jürgen

Status:	Closed	Start date:	02/25/2021	
Priority:	Normal	Due date:		
Assigned To:	Knödlseder Jürgen	% Done:	100%	
Category:		Estimated time:	0.00 hour	
Target version:	2.0.0			
Description		ŀ		

When reading and writing a FITS tables with scaled integer values the integer values are scaled in the written dataset. The integer values should be written without any scaling.

## History

### #1 - 02/25/2021 09:10 AM - Knödlseder Jürgen

The following code

>>> import gammalib

>>> f=gammalib.GFits('/project-data/comptel/data/phase01/vp0001\_0/m16992\_evp.fits')

>>> f.saveto('m16992\_evp.fits', True)

results in the following table content:

File	X_D1	Y_D1	L_D1
Original	346.625	472.65625	0.0546875
Saved	10.8215	14.75	0

### #2 - 02/25/2021 11:40 AM - Knödlseder Jürgen

- File evp-original.png added

- File evp-saved.png added

- Status changed from New to Pull request

- % Done changed from 0 to 90

I added a m\_tscale to GFitsTableCol that will hold the value of the optional TSCALn keyword, if no keyword is found the value will be 1.

The member will be set in GFitsTable::data\_open() using the new GFitsTableCol::tscale() method that was added for this purpose.

Before loading a FITS column in GFitsTableCol::load\_column() the internal FITS scaling will be disabled in case that m\_tscale != 1. This assures that no information is lost in reading the FITS file, and when the FITS file is saved the same information that was found in the input file is written. Note that the TSCALn keywords are not affected by this operation, hence the same information exists in the saved FITS file.

If scaling of a FITS column is needed the scaling needs to be performed manually.

To validate the code, I checked the events in the original and saved COMPTEL EVP using show\_evp.py. Both plots look identical.

