

GammaLib - Feature #41

GModels versus GOptimizerPars

02/20/2012 05:51 PM - Knödlseider Jürgen

Status:	Closed	Start date:	02/20/2012
Priority:	Low	Due date:	
Assigned To:	Knödlseider Jürgen	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	00-08-00		

Description

GModels is actually derived from GOptimizerPars, yet both are container classes for different things. GModels contains models while GOptimizerPars contains parameters.

The relation between GModels and GOptimizerPars should be rethought to see if a more logical and clearer relationship can be defined. This will not change the actual workings, but should make the code more clear.

History

#1 - 02/20/2012 06:07 PM - Knödlseider Jürgen

- Priority changed from Normal to Low

#2 - 12/21/2012 12:41 AM - Knödlseider Jürgen

- Target version set to 00-08-00

#3 - 12/11/2013 10:18 PM - Knödlseider Jürgen

- Target version deleted (00-08-00)

#4 - 12/18/2013 05:04 PM - Knödlseider Jürgen

The following GModelPar method are actually used by GOptimizerLM:

- isfree()
- fix()
- name()
- factor_gradient()
- factor_value()
- factor_min()
- factor_max()
- hasmin()
- hasmax()
- factor_error()

Hence only a small subset of the GModelPar methods are not used.

So I suggest to introduce a GOptimizerPar method from which GModelPar will derive (eventually, GModelPar may disappear later).

GOptimizerPars should then become a real container class of GOptimizerPar objects (the container will hold pointers to these objects).

GModels will not derive from GOptimizerPars but will have a method that returns a GOptimizerPars object containing pointers to the model parameters in GModels. This needs some logic that GOptimizerPars can handle internally allocated parameters, but also externally managed parameters.

#5 - 12/18/2013 10:00 PM - Knödseder Jürgen

- *Target version set to 00-08-00*

#6 - 12/18/2013 10:02 PM - Knödseder Jürgen

- *Assigned To set to Knödseder Jürgen*

- *% Done changed from 0 to 50*

GModels no longer derives from GOptimizerPars. The implementation of GOptimizerPars as standalone container has started. The GModels::pars() method now extract the model parameters as a flat array into a GOptimizerPars instance.

GOptimizerPars is a container of GOptimizerPar objects. GModelPar now derives from GOptimizerPar.

#7 - 12/18/2013 11:57 PM - Knödseder Jürgen

- *Status changed from New to In Progress*

- *% Done changed from 50 to 80*

The GOptimizerPars class is not fully complete. Also NEWS / ChangeLog need to be updated.

#8 - 12/19/2013 06:24 AM - Knödseder Jürgen

- *Status changed from In Progress to Closed*

- *% Done changed from 80 to 100*

Done.