

GammaLib - Feature #651

Crab reference spectra

12/17/2012 10:52 AM - Deil Christoph

Status:	In Progress	Start date:	12/17/2012
Priority:	Normal	Due date:	
Assigned To:	Deil Christoph	% Done:	0%
Category:		Estimated time:	0.00 hour
Target version:			
Description			
<p>The Crab is often used as a standard candle in gamma-ray astronomy. Statements like "this source has a flux of 10 % Crab" or "our sensitivity is 2 % Crab" are common. Gammalib could contain reference published Crab spectra to make this easy for the user. Attached find a Python implementation that I have been using in the past.</p> <p>Jürgen, do you want this in Gammalib? I think the Meyer model might deserve it's own class (<i>GModelSpectralCrabMeyer</i> ?), the others maybe as xml models or not at all?</p>			

History

#1 - 12/17/2012 11:11 AM - Knödseder Jürgen

The easiest way how to implement these models is via the *GModelSpectralFunc* class. This model reads an arbitrary number of spectral points from an ASCII file, and performs linear interpolations in the log-log plane. It would be sufficient to put the corresponding ASCII files somewhere in GammaLib, and they can be centrally installed in `/usr/local/gamma/share/models`.

I won't create a special class for this, as everyone may have his preferred Crab spectrum (and this depends of course also on energy). So it's better to provide the spectral description in the models folder, and we can also deliver example XML scripts that illustrate their usage.

#2 - 12/17/2012 04:51 PM - Mayer Michael

Hi Christoph, Hi Jürgen,

I think it is a very nice idea to have such a reference within GammaLib. If I understand correctly, the Meyer (2010)-model ist just a 5th degree polynomial. Maybe it would be interesting to have something like a *GModelSpectralPolynomial* which is a spectral model of a polynomial function of n degrees. Than it would be easy to implement the meyer-model either by an xml-file or by a specific class (*GModelSpectralCrabMeyer*) which inherits from the *GModelSpectralPolynomial* and calls this class with the correct numbers. A *GModelSpectralPolynomial* could also be very useful for modelling spectral energy distributions over a large energy range. In addition, it would be easy to find e.g. an Inverse Compton peak with this model since its derivative is well-defined and easy to calculate.

#3 - 12/17/2012 08:48 PM - Knödseder Jürgen

Have you had a look into *GModelSpectralNodes*? It fits a piecewise power law to the data. The transitions are not smooth as in a polynomial, but it can fit arbitrary shapes.

GModelSpectralPolynomial would be also interesting. I guess the polynomial should be in the log-log plane? I played with polynomials already for fitting the acceptance profile (see *GCTAModelRadialPolynom*), but the convergence of this becomes quickly a headache. I think the problem is the strong link between the factors of a polynomial. To make this work, I guess one would need to work in a basis where the polynomial factors are pretty orthogonal.

Files

crab.py	5.21 KB	12/17/2012	Deil Christoph
test_crab.py	2.42 KB	12/17/2012	Deil Christoph
crab_flux.png	65.5 KB	12/17/2012	Deil Christoph
crab_index.png	47.7 KB	12/17/2012	Deil Christoph
crab_int_flux.png	72.9 KB	12/17/2012	Deil Christoph
crab_ratio.png	59.3 KB	12/17/2012	Deil Christoph